ELSEVIER

Neuroscience Letters 330 (2002) 302–306

Neuroscience Letters

www.elsevier.com/locate/neulet

Author Index to Volume 330

Aftanas, L.I., Golocheikine, S.A., Non-linear dynamic complexity of the human EEG during meditation, 143
Agrawal, A.K., see Seth, K., 89
Ahmad, A., see Seth, K., 89
Ahtee, L., see Gäddnäs, H., 219
Akema, T., see Izaki, Y., 204
Aloisi, A.M., see Ceccarelli, I., 25
Alonso, G., see Crespel, A., 114
Andrade, J.P., see Mesquita, R.M., 155
Annunziata, P., see Cioni, C., 299
Aomine, M., see Obata, T., 122
Arai, H., see Ohara, S., 84
Åsberg, M., see Jönsson, E.G., 290
Assaiante, C., see Schmitz, C., 215
Aziz, M.H., see Seth, K., 89
Aziz, T., see Brown, P., 188

Bagust, J., Willis, W.D., Differential effects of muscimol upon the firing frequency of large and small amplitude antidromic dorsal root action potentials in rat spinal cord in vitro, 139
Baker, R.S., see Kingston, A.E., 127
Baldy-Moulinier, M., see Crespel, A., 114
Barker, G.J., see Toosy, A.T., 255
Bartels, M., see Plewnia, C., 231
Barykina, N.N., see Kulikov, A.V., 207
Berger, T., see Egli, M., 53
Błasiak, A., see Lewandowski, M.H., 243
Błasiak, T., see Lewandowski, M.H., 243
Bockaert, J., see Crespel, A., 114
Borsook, D., see DiLorenzo, L., 37
Bottini, N., MacMurray, J., Rostamkani, M., McGue, M., Iacono, W.G., Comings, D.E., Association between the low molecular weight cytosolic acid phosphatase gene ACP1*A and comorbid features of Tourette syndrome, 198
Bravo, G., see Santoscoy, C., 94
Bremer, Q., see Carré, J.-L., 17
Brown, P., Williams, D., Aziz, T., Mazzone, P., Oliviero, A., Insola, A., Tonali, P., Di Lazzaro, V., Pallidal activity recorded in patients with implanted electrodes predictively correlates with eventual performance in a timing task, 188
Brück, W., see Ruprecht, K., 175
Bullmore, E.T., see Toosy, A.T., 255

Camón, L., see Vivó, M., 74
Cao, Z., see Li, Y., 69
Carmichael, J., Vacher, C., Rubinsztein, D.C., The bacterial chaperonin GroEL requires GroES to reduce aggregation and cell death in a COS-7 cell model of Huntington's disease, 270
Carpenter, D.O., see Hori, N., 131
Carré, J.-L., Goetz, B.D., O'Connor, L.T., Bremer, Q., Duncan, I.D., Mutations in the rat myelin basic protein gene are associated with specific alterations in other myelin gene expression, 17
Ceccarelli, I., Masi, F., Fiorenzani, P., Aloisi, A.M., Sex differences in the citrus lemon essential oil-induced increase of hippocampal acetylcholine release in rats exposed to a persistent painful stimulation, 25
Cha, C.I., see Chung, Y.H., 65
Chamberlain, M.-J., see Kingston, A.E., 127
Chen, C.-J., see Liao, S.-L., 159
Chen, W.-Y., see Liao, S.-L., 159
Cheng, J.-T., see Tong, Y.-C., 21
Cheon, E.W., Park, C.H., Kang, S.S., Cho, G.J., Yoo, J.M., Song, J.K., Choi, W.S., Nitric oxide synthase expression in the transient ischemic rat retina: neuroprotection of betaxolol, 265
Cheung, R.T.F., Pei, Z., Feng, Z.H., Zou, L.Y., Cyclooxygenase-1 gene knockout does not alter middle cerebral artery occlusion in a mouse stroke model, 57
Cho, G.J., see Cheon, E.W., 265
Choi, W.S., see Cheon, E.W., 265
Chuguy, V.F., see Kulikov, A.V., 207
Chung, Y.H., Shin, C.M., Joo, K.M., Kim, M.J., Cha, C.I., Age-related upregulation of insulin-like growth factor receptor type I in rat cerebellum, 65
Cioni, C., Annunziata, P., Circulating gp120 alters the blood–brain barrier permeability in HIV-1 gp120 transgenic mice, 299
Clark, B.P., see Kingston, A.E., 127
Cohen, L.G., see Plewnia, C., 231
Comings, D.E., see Bottini, N., 198
Cotman, C.W., see Head, E., 99
Coubes, P., see Crespel, A., 114
Crespel, A., Coubes, P., Rousset, M.-C., Alonso, G., Bockaert, J., Baldy-Moulinier, M., Lerner-Natoli, M., Immature-like astrocytes are associated with dentate granule cell migration in human temporal lobe epilepsy, 114
Criado, J.R., see Sánchez-Alavez, M., 45
Cribbs, D.H., see Head, E., 99
Crook, J., see de Silva, R., 201

Damberg, M., see Jönsson, E.G., 290
Datta, S., see Mavanji, V., 119
Davidowa, H., see Li, Y., 33
de Silva, R., Hardy, J., Crook, J., Khan, N., Graham, E.A., Morris, C.M., Wood, N.W., Lees, A.J., The tau locus is not significantly associated with pathologically confirmed sporadic Parkinson's disease, 201
de Vera, N., see Vivó, M., 74
Di Lazzaro, V., see Brown, P., 188
DiLorenzo, L., Kobierski, L., Moore, K.A., Borsook, D., A water-soluble

PII: S0304-3940(02)00970-9

synthetic spicamycin derivative (San-Gly) decreases mechanical allodynia in a rodent model of neuropathic pain, 37
Duncan, I.D., see Carré, J.-L., 17
Dünker, N., see Schuster, N., 239

Edvinsson, L., see Hou, M., 223
Eerola, J., Launes, J., Hellström, O., Tienari, P.J., Apolipoprotein E (*APOE*), *PARKIN* and catechol-*O*-methyltransferase (*COMT*) genes and susceptibility to sporadic Parkinson's disease in Finland, 296
Egli, M., Berger, T., Imboden, H., Angiotensin II influences the hyperpolarization-activated current I_h in neurones of the rat paraventricular nucleus, 53
Endoh, H., see Sakata, Y., 167

Faustmann, P.M., see Haase, C.G., 293
Feng, Z.H., see Cheung, R.T.F., 57
Fidani, L., see Goulas, A., 210
Fiorenzani, P., see Ceccarelli, I., 25
Forslund, K., see Jönsson, E.G., 290
Franco-Bourland, R.E., see Santoscoy, C., 94
Fujioka, T., see Sakata, Y., 167
Fujita, N., see Tanaka, K.-i., 147

Gäddnäs, H., Piepponen, T.P., Ahtee, L., Mecamylamine decreases accumbal dopamine output in mice treated chronically with nicotine, 219
Gallegos, R.A., see Sánchez-Alavez, M., 45
Games, D., see Sánchez-Alavez, M., 45
Gangloff, P., Perrin, P.P., Unilateral trigeminal anaesthesia modifies postural control in human subjects, 179
Gerin, C., Behavioral improvement and dopamine release in a Parkinsonian rat model, 5
Gerloff, C., see Plewnia, C., 231
Giri, S., see Jatana, M., 183
Goc, A., see Lenartowski, R., 151
Goetz, B.D., see Carré, J.-L., 17
Golocheikine, S.A., see Aftanas, L.I., 143
González, A., see López, J.M., 61
Gootman, P.M., see Zhao, N., 79
Goulas, A., Fidani, L., Kotsis, A., Mirtsou, V., Petersen, R.C., Tangalos, E., Hardy, J., An association study of a functional catalase gene polymorphism, − 262C → T, and patients with Alzheimer's disease, 210
Graham, E.A., see de Silva, R., 201
Gray, W.P., May, K., Sundström, L.E., Seizure induced dentate neurogenesis does not diminish with age in rats, 235
Griffey, K., see Kingston, A.E., 127
Guízar-Sahagún, G., see Santoscoy, C., 94

Haase, C.G., Schmidt, S., Faustmann, P.M., Frequencies of the G-protein beta3 subunit C825T polymorphism and the delta 32 mutation of the chemokine receptor-5 in patients with multiple sclerosis, 293
Hardy, J., see de Silva, R., 201
Hardy, J., see Goulas, A., 210
Harris, J.R., see Kingston, A.E., 127
Hasegawa, M., see Ohara, S., 84
Hayakawa, T., see Maeda, S., 275
Head, E., Lott, I.T., Cribbs, D.H., Cotman, C.W., Rohn, T.T., β-Amyloid deposition and neurofibrillary tangle association with caspase activation in Down syndrome, 99
Hejnová, L., Ihnatovych, I., Novotny, J., Kubová, H., Mareš, P., Svoboda, P., Modulation of adenylyl cyclase activity by baclofen in the developing rat brain: difference between cortex, thalamus and hippocampus, 9
Hellström, O., see Eerola, J., 296
Henriksen, S.J., see Sánchez-Alavez, M., 45
Hiemke, C., see Plewnia, C., 231
Higashi, Y., see Tanaka, K.-i., 147
Higuchi, S., see Ohara, S., 84
Hirose, H., Kubota, M., Kimura, I., Ohsawa, M., Yumoto, M., Sakakihara, Y., People with absolute pitch process tones with producing P300, 247
Hiyama, T.Y., see Watanabe, E., 109
Hliňák, Z., Krejčí, I., *N*-Methyl-D-aspartate improved social recognition potency in rats, 227
Hong, E., see Santoscoy, C., 94
Hoppe, J., see Plewnia, C., 231
Hori, N., Tan, Y., Strominger, N.L., Carpenter, D.O., Rat motoneuron cell death in development correlates with loss of *N*-methyl-D-aspartate receptors, 131
Hou, M., Uddman, R., Tajti, J., Kanje, M., Edvinsson, L., Capsaicin receptor immunoreactivity in the human trigeminal ganglion, 223
Hummel, V., see Ruprecht, K., 175

Iacono, W.G., see Bottini, N., 198
Ihnatovych, I., see Hejnová, L., 9
Ikeda, S.R., see Kammermeier, P.J., 260
Imboden, H., see Egli, M., 53
Inada, T., see Obata, T., 122
Inouye, S., see Sakata, Y., 167
Insola, A., see Brown, P., 188
Ito, H., see Maeda, S., 275
Iwatsubo, T., see Ohara, S., 84
Izaki, Y., Takita, M., Nomura, M., Akema, T., Effects of hippocampus-induced prefrontal long-term depression on gamma-band local field potential in anesthetized rats, 204

Jatana, M., Giri, S., Singh, A.K., Apoptotic positive cells in Krabbe brain and induction of apoptosis in rat C6 glial cells by psychosine, 183
Jeon, C.-J., see Kang, Y.-S., 104
Jeon, S.H., see Koo, Y.J., 135
Ji, Y.-P., see Zhang, Y.-Q., 285
Johnson, B.G., see Kingston, A.E., 127
Johnson, M.P., see Kingston, A.E., 127
Jönsson, E.G., Damberg, M., Forslund, K., Mattila-Evenden, M., Rylander, G., Åsberg, M., Oreland, L., Sedvall, G.C., No association between a transcription factor Activating Protein 2β (AP-2β) gene variant and schizophrenia, 290
Joo, K.M., see Chung, Y.H., 65

Kalafut, M.A., see Sánchez-Alavez, M., 45
Kammermeier, P.J., Ikeda, S.R., Metabotropic glutamate receptor expression in the rat superior cervical ganglion, 260
Kaneko, T., see Li, Y.-Q., 13
Kang, S.S., see Cheon, E.W., 265
Kang, U.G., see Koo, Y.J., 135
Kang, Y.-S., Park, W.-M., Lim, J.-K., Kim, S.-Y., Jeon, C.-J., Changes of calretinin, calbindin D28K and parvalbumin-immunoreactive neurons in the superficial layers of the hamster superior colliculus following monocular enucleation, 104
Kanje, M., see Hou, M., 223
Kawabata, K., see Maeda, S., 275

Kelly, G., see Kingston, A.E., 127
Khan, N., see de Silva, R., 201
Khorevin, V.I., see Storozhuk, V.M., 171
Kikuchi, T., see Koshiba, M., 125
Kim, M.J., see Chung, Y.H., 65
Kim, S.-J., see Koo, Y.J., 135
Kim, S.R., see Koo, Y.J., 135
Kim, S.-Y., see Kang, Y.-S., 104
Kim, Y.S., see Koo, Y.J., 135
Kimura, I., see Hirose, H., 247
Kinemuchi, H., see Obata, T., 122
Kingston, A.E., Griffey, K., Johnson, M.P., Chamberlain, M.-J., Kelly, G., Tomlinson, R., Wright, R.A., Johnson, B.G., Schoepp, D.D., Harris, J.R., Clark, B.P., Baker, R.S., Tizzano, J.P., Inhibition of group I metabotropic glutamate receptor responses in vivo in rats by a new generation of carboxyphenylglycine-like amino acid antagonists, 127
Klein, O., see Ruprecht, K., 175
Kobierski, L., see DiLorenzo, L., 37
Kodama, R., see Watanabe, E., 109
Kolpakov, V.G., see Kulikov, A.V., 207
Kondo, H., see Sakagami, H., 41
Koo, Y.J., Kim, S.-J., Jeon, S.H., Kim, S.R., Kang, U.G., Park, J.-B., Kim, Y.S., Electroconvulsive shock increases the phosphorylation of amphiphysin II in the rat cerebellum, 135
Koshiba, M., Kikuchi, T., Yohda, M., Nakamura, S., Corrigendum to "Inversion of the anatomical lateralization of the chick thalamofugal visual pathway by light experience" [Neurosci. Lett. 318 (2002) 113–116], 125
Kotsis, A., see Goulas, A., 210
Kovar, K.-A., see Meyer, A., 193
Kovar, K.-A., see Meyer, A., 280
Kovar, K.-A., see Schmidt, W.J., 251
Krejčí, I., see Hliňák, Z., 227
Krieglstein, K., see Schuster, N., 239
Kubota, M., see Hirose, H., 247
Kubová, H., see Hejnová, L., 9
Kulikov, A.V., Barykina, N.N., Tikhonova, M.A., Chuguy, V.F., Kolpakov, V.G., Popova, N.K., Effect of chronic thyroxine treatment on catalepsy in rats, 207

Launes, J., see Eerola, J., 296
Lees, A.J., see de Silva, R., 201
Lenartowski, R., Goc, A., Tissue-specific association of the human tyrosine hydroxylase gene with the nuclear matrix, 151
Lerner-Natoli, M., see Crespel, A., 114
Lewandowski, M.H., Błasiak, T., Błasiak, A., Are ultra-slow isoperiodic oscillations in rat intergeniculate leaflet neurons dependent on reciprocal connection with its contralaterally located counterpart?, 243
Li, Y., Cao, Z., The neuroprotectant ebselen inhibits oxidative DNA damage induced by dopamine in the presence of copper ions, 69
Li, Y., Plagemann, A., Davidowa, H., Increased inhibition by agouti-related peptide of ventromedial hypothalamic neurons in rats overweight due to early postnatal overfeeding, 33
Li, Y.-Q., Tao, F.-S., Okamoto, K., Nomura, S., Kaneko, T., Mizuno, N., The supratrigeminal region of the rat sends GABA/glycine-cocontaining axon terminals to the motor trigeminal nucleus on the contralateral side, 13
Liao, S.-L., Chen, W.-Y., Chen, C.-J., Estrogen attenuates tumor necrosis factor-α expression to provide ischemic neuroprotection in female rats, 159
Lim, J.-K., see Kang, Y.-S., 104
López, J.M., Moreno, N., González, A., Localization of choline acetyltransferase in the developing and adult retina of *Xenopus laevis*, 61
Lott, I.T., see Head, E., 99
Lü, S.-G., see Zhang, Y.-Q., 285
Luchowska, E., see Luchowski, P., 49
Luchowski, P., Luchowska, E., Turski, W.A., Urbanska, E.M., 1-Methyl-4-phenylpyridinium and 3-nitropropionic acid diminish cortical synthesis of kynurenic acid via interference with kynurenine aminotransferases in rats, 49

MacMurray, J., see Bottini, N., 198
Maeda, S., Kawabata, K., Takanaga, A., Tanaka, K., Ito, H., Hayakawa, T., Seki, M., A novel monoclonal antibody recognizes lysosome-like structures and reflects regional and age-related differences in the rat dentate gyrus, 275
Mareš, P., see Hejnová, L., 9
Martínez, E., see Vivó, M., 74
Masi, F., see Ceccarelli, I., 25
Mathur, N., see Seth, K., 89
Mattila-Evenden, M., see Jönsson, E.G., 290
Mavanji, V., Datta, S., Clomipramine treatment in neonatal rats alters the brain acetylcholinesterase activity in adulthood, 119
May, K., see Gray, W.P., 235
Mayerhofer, A., see Meyer, A., 193
Mayerhofer, A., see Meyer, A., 280
Mayerhofer, A., see Schmidt, W.J., 251
Mazzone, P., see Brown, P., 188
McGue, M., see Bottini, N., 198
Mei, J., see Zhang, Y.-Q., 285
Mesquita, R.M., Pereira, P.A., Andrade, J.P., Low levels of brain-derived neurotrophic factor and tyrosine kinase receptor B are related to loss of dentate granule cells after prolonged low-protein feeding in the rat, 155
Meyer, A., Mayerhofer, A., Kovar, K.-A., Schmidt, W.J., Enantioselective metabolism of the designer drugs 3,4-methylenedioxymethamphetamine ('ecstasy') and 3,4-methylenedioxyethylamphetamine ('eve') isomers in rat brain and blood, 193
Meyer, A., Mayerhofer, A., Kovar, K.-A., Schmidt, W.J., Rewarding effects of the optical isomers of 3,4-methylenedioxy-methylamphetamine ('Ecstasy') and 3,4-methylenedioxy-ethylamphetamine ('Eve') measured by conditioned place preference in rats, 280
Meyer, A., see Schmidt, W.J., 251
Millán, C., Sánchez-Prieto, J., Differential coupling of N- and P/Q-type calcium channels to glutamate exocytosis in the rat cerebral cortex, 29
Miller, D.H., see Toosy, A.T., 255
Mirtsou, V., see Goulas, A., 210
Mizuno, N., see Li, Y.-Q., 13
Moore, K.A., see DiLorenzo, L., 37
Moreno, N., see López, J.M., 61
Morris, C.M., see de Silva, R., 201

Nakamura, S., see Koshiba, M., 125
Nakamura, S., see Sakata, Y., 167
Nishimura, H., see Sakagami, H., 41
Noda, M., see Watanabe, E., 109
Nomura, M., see Izaki, Y., 204
Nomura, S., see Li, Y.-Q., 13
Novotny, J., see Hejnová, L., 9

Obata, T., Aomine, M., Inada, T., Kinemuchi, H., Nicotine suppresses 1-methyl-4-phenylpyridinium ion-induced hydroxyl radical generation in rat striatum, 122

O'Connor, L.T., see Carré, J.-L., 17
Ogawa, N., see Tanaka, K.-i., 147
Ohara, S., Tsuyuzaki, J., Oide, T., Arai, H., Higuchi, S., Hasegawa, M., Iwatsubo, T., A clinical and neuropathological study of an unusual case of sporadic tauopathy. A variant of corticobasal degeneration?, 84
Ohsawa, M., see Hirose, H., 247
Oide, T., see Ohara, S., 84
Okamoto, K., see Li, Y.-Q., 13
Okamoto, K., see Yoshida, T., 1
Oliviero, A., see Brown, P., 188
Oreland, L., see Jönsson, E.G., 290

Park, C.H., see Cheon, E.W., 265
Park, J.-B., see Koo, Y.J., 135
Park, W.-M., see Kang, Y.-S., 104
Pei, Z., see Cheung, R.T.F., 57
Pereira, P.A., see Mesquita, R.M., 155
Perrin, P.P., see Gangloff, P., 179
Petersen, R.C., see Goulas, A., 210
Piepponen, T.P., see Gäddnäs, H., 219
Plagemann, A., see Li, Y., 33
Plant, G.T., see Toosy, A.T., 255
Plewnia, C., Hoppe, J., Hiemke, C., Bartels, M., Cohen, L.G., Gerloff, C., Enhancement of human cortico-motoneuronal excitability by the selective norepinephrine reuptake inhibitor reboxetine, 231
Popova, N.K., see Kulikov, A.V., 207

Rieckmann, P., see Ruprecht, K., 175
Ríos, C., see Santoscoy, C., 94
Rohn, T.T., see Head, E., 99
Rojas, G., see Santoscoy, C., 94
Rostamkani, M., see Bottini, N., 198
Rousset, M.-C., see Crespel, A., 114
Rozumna, N.M., see Storozhuk, V.M., 171
Rubinsztein, D.C., see Carmichael, J., 270
Ruprecht, K., Stadelmann, C., Hummel, V., Klein, O., Brück, W., Rieckmann, P., Brain derived neurotrophic factor does not act on adult human cerebral endothelial cells, 175
Rylander, G., see Jönsson, E.G., 290

Saito, R., see Sakagami, H., 41
Sakagami, H., Nishimura, H., Saito, R., Kondo, H., Transient up-regulation of elongation factor-2 kinase (Ca^{2+}/calmodulin-dependent protein kinase III) messenger RNA in developing mouse brain, 41
Sakakihara, Y., see Hirose, H., 247
Sakata, Y., Fujioka, T., Inouye, S., Endoh, H., Nakamura, S., Paradoxical rise in brainstem PO_2 following umbilical cord occlusion in full-term rat fetuses, 167
Sánchez-Alavez, M., Gallegos, R.A., Kalafut, M.A., Games, D., Henriksen, S.J., Criado, J.R., Loss of medial septal modulation of dentate gyrus physiology in young mice overexpressing human β-amyloid precursor protein, 45
Sánchez-Prieto, J., see Millán, C., 29
Santoscoy, C., Ríos, C., Franco-Bourland, R.E., Hong, E., Bravo, G., Rojas, G., Guízar-Sahagún, G., Lipid peroxidation by nitric oxide supplements after spinal cord injury: effect of antioxidants in rats, 94
Santo-Yamada, Y., see Yamada, K., 163
Schmidt, S., see Haase, C.G., 293
Schmidt, W.J., Mayerhofer, A., Meyer, A., Kovar, K.-A., Ecstasy counteracts catalepsy in rats, an anti-parkinsonian effect?, 251
Schmidt, W.J., see Meyer, A., 193
Schmidt, W.J., see Meyer, A., 280
Schmitz, C., Assaiante, C., Developmental sequence in the acquisition of anticipation during a new co-ordination in a bimanual load-lifting task in children, 215
Schoepp, D.D., see Kingston, A.E., 127
Schuster, N., Dünker, N., Krieglstein, K., Transforming growth factor-β induced cell death in the developing chick retina is mediated via activation of c-jun N-terminal kinase and downregulation of the anti-apoptotic protein Bcl-X_L, 239
Sedvall, G.C., see Jönsson, E.G., 290
Seki, M., see Maeda, S., 275
Seth, K., Agrawal, A.K., Aziz, M.H., Ahmad, A., Shukla, Y., Mathur, N., Seth, P.K., Induced expression of early response genes/oxidative injury in rat pheochromocytoma (PC12) cell line by 6-hydroxydopamine: implication for Parkinson's disease, 89
Seth, P.K., see Seth, K., 89
Shin, C.M., see Chung, Y.H., 65
Shukla, Y., see Seth, K., 89
Sica, A.L., see Zhao, N., 79
Singh, A.K., see Jatana, M., 183
Sohmiya, M., see Yoshida, T., 1
Song, J.K., see Cheon, E.W., 265
Stadelmann, C., see Ruprecht, K., 175
Storozhuk, V.M., Khorevin, V.I., Rozumna, N.M., Villa, A.E.P., Tetko, I.V., Dopamine modulation of activity of cat sensorimotor cortex neurons during conditioned reflexes, 171
Strominger, N.L., see Hori, N., 131
Sundström, L.E., see Gray, W.P., 235
Suzuki, Y., see Yoshida, T., 1
Svoboda, P., see Hejnová, L., 9

Tajti, J., see Hou, M., 223
Takanaga, A., see Maeda, S., 275
Takita, M., see Izaki, Y., 204
Tan, Y., see Hori, N., 131
Tanaka, K., see Maeda, S., 275
Tanaka, K.-i., Fujita, N., Higashi, Y., Ogawa, N., Neuroprotective and antioxidant properties of FKBP-binding immunophilin ligands are independent on the FKBP12 pathway in human cells, 147
Tanaka, M., see Yoshida, T., 1
Tangalos, E., see Goulas, A., 210
Tao, F.-S., see Li, Y.-Q., 13
Tetko, I.V., see Storozhuk, V.M., 171
Thompson, A.J., see Toosy, A.T., 255
Tienari, P.J., see Eerola, J., 296
Tikhonova, M.A., see Kulikov, A.V., 207
Tizzano, J.P., see Kingston, A.E., 127
Tomlinson, R., see Kingston, A.E., 127
Tonali, P., see Brown, P., 188
Tong, Y.-C., Cheng, J.-T., Wan, W.-C., Effects of Ba-Wei-Die-Huang-Wan on the cholinergic function and protein expression of M_2 muscarinic receptor of the urinary bladder in diabetic rats, 21
Toosy, A.T., Werring, D.J., Bullmore, E.T., Plant, G.T., Barker, G.J., Miller, D.H., Thompson, A.J., Functional magnetic resonance imaging of the cortical response to photic stimulation in humans following optic neuritis recovery, 255
Tsuyuzaki, J., see Ohara, S., 84
Turski, W.A., see Luchowski, P., 49

Uddman, R., see Hou, M., 223
Urbanska, E.M., see Luchowski, P., 49

Vacher, C., see Carmichael, J., 270
Villa, A.E.P., see Storozhuk, V.M., 171
Vivó, M., Camón, L., de Vera, N., Martínez, E., Extracellular putrescine content after acute excitotoxic brain damage in the rat, 74

Wada, K., see Yamada, K., 163
Wan, W.-C., see Tong, Y.-C., 21
Wang, G.-X., see Zhang, Y.-Q., 285
Watanabe, E., Hiyama, T.Y., Kodama, R., Noda, M., Na_x sodium channel is expressed in non-myelinating Schwann cells and alveolar type II cells in mice, 109
Werring, D.J., see Toosy, A.T., 255
Williams, D., see Brown, P., 188
Willis, W.D., see Bagust, J., 139
Wood, N.W., see de Silva, R., 201
Wright, R.A., see Kingston, A.E., 127

Yamada, K., Santo-Yamada, Y., Wada, K., Restraint stress impaired maternal behavior in female mice lacking the neuromedin B receptor (NMB-R) gene, 163
Yohda, M., see Koshiba, M., 125
Yoo, J.M., see Cheon, E.W., 265
Yoshida, T., Tanaka, M., Suzuki, Y., Sohmiya, M., Okamoto, K., Antioxidant properties of cabergoline: inhibition of brain auto-oxidation and superoxide anion production of microglial cells in rats, 1
Yumoto, M., see Hirose, H., 247

Zhang, Y.-Q., Lü, S.-G., Ji, Y.-P., Wang, G.-X., Zhao, Z.-Q., Mei, J., Age-related alterations in responses of the nucleus basalis magnocellularis neurons to frontal cortex stimulation in rats, 285
Zhao, N., Gootman, P.M., Sica, A.L., Baroreceptor-related dysrhythmias in piglets with selective autonomic denervation of the heart, 79
Zhao, Z.-Q., see Zhang, Y.-Q., 285
Zou, L.Y., see Cheung, R.T.F., 57